SAFETY DATA SHEET

AQUA-PETROSOL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name
AQUA-PETROSOL

Product no.
6006

▼Unique formula identifier (UFI)
9MMH-605R-F008-Y628

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture
oil . Dirt remover
Restricted to professional users.

Uses advised against
None known.

1.3. Details of the supplier of the safety data sheet

Company and address
Knud E. Dan A/S
Lunikvej 40
2670 Greve
Denmark
+45 43692422
+45 43690578

Contact person
Lars Bøgeholm

E-mail
lbj@knudedan.dk

Revision
22/04/2025

SDS Version
5.0

Date of previous version
26/02/2025 (4.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)
See section 4 “First aid measures”.

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s)



Signal word
Warning

Hazard statement(s)
Causes serious eye irritation. (H319)

Precautionary statement(s)

General

-

Prevention

Wear eye protection. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

-

Disposal

-

▼Hazardous substances

Does not contain any substances required to report

Additional labelling

UFI: 9MMH-605R-F008-Y628

▼Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%
· Cationic surfactants
· Non-ionic surfactants
· Phosphates

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-xxxx Index No.: 603-096-00-8	1-3%	Eye Irrit. 2, H319	[1], [3]
Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides	CAS No.: 1554325-20-0 EC No.: 810-152-7 REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	[19]
Alkylalkohol, ethoxyleret	CAS No.: 68439-46-3 EC No.: REACH: Index No.:	1-3%	Eye Irrit. 2, H319	[19]
2-propylheptanol Ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to REACH, Annex XVII, the substance is subject to restrictions.
[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. ▼Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Nitrogen oxides (NO_x)
Carbon oxides (CO / CO2)
Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

5 - 25 °C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼Control parameters

2-(2-butoxyethoxy)ethanol
Long term exposure limit (8 hours) (mg/m³): 68
Long term exposure limit (8 hours) (ppm): 10
Short term exposure limit (15 minutes) (mg/m³): 101
Short term exposure limit (15 minutes) (ppm): 15
Annotations:
E = Substance has an EC limit.

sodium hydroxide caustic soda
Short term exposure limit (15 minutes) (mg/m³): 2
Annotations:
L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1619 on exposure limits for substances and mixtures (19/12/2024)

▼DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10 mg/kg uge/dag
Long term – Systemic effects - Workers	Dermal	20 mg/kg/ uge/dag
Long term – Local effects	Inhalation	5 mg/m3
Long term – Local effects - Workers	Inhalation	10 ppm
Long term – Local effects - Workers	Inhalation	67.5 mg/m³
Long term – Systemic effects - General population	Inhalation	5 mg/kg uge/dag
Long term – Systemic effects - Workers	Inhalation	10 ppm
Short term – Local effects - General population	Inhalation	7,5 ppm
Short term – Local effects - Workers	Inhalation	14 ppm
Short term – Local effects - Workers	Inhalation	101.2 mg/m³
Long term – Systemic effects - General population	Oral	6.25 mg/kg bw/day

Short term	Oral	1,3 mg/kg uge/dag

Alkylalkohol, ethoxyleret

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	1250 mg/kg
Long term – Systemic effects - Workers	Dermal	2080 mg/kg
Long term – Systemic effects - General population	Inhalation	87 mg/m3
Long term – Systemic effects - Workers	Inhalation	294 mg/m3
Long term – Systemic effects - General population	Oral	25 mg/kg

sodium hydroxide caustic soda

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Systemic effects - Workers	Inhalation	1 mg/m3

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		1 mg/l
Freshwater		1.1 mg/L
Freshwater sediment		4 mg/l
Freshwater sediment		4.4 mg/kg
Intermittent release (freshwater)		11 mg/L
Marine water		0,1 mg/l
Marine water		110 µg/L
Marine water sediment		0,4 mg/l
Marine water sediment		440 µg/kg
Sewage treatment plant		200 mg/l
Soil		0,4 mg/l

Alkylalkohol, ethoxyleret

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		0,104 mg/l
Freshwater sediment		13,7 mg/kg
Marine water		0,104 mg/kg
Marine water sediment		13,7 mg/kg
Sewage treatment plant		1,4 mg/l
Soil		1 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15.
Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Blue

Odour / Odour threshold

Characteristic

pH

9

Density (g/cm^3)

1.09

Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

>100

Vapour pressure

No data available.

Relative vapour density

No data available.

Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

Flash point (°C)

>100

Flammability (°C)

No data available.

Auto-ignition temperature (°C)

No data available.

Lower and upper explosion limit (% v/v)
No data available.

Solubility

Solubility in water
Completely soluble

n-octanol/water coefficient (LogKow)
No data available.

Solubility in fat (g/L)
No data available.

9.2. Other information

Other physical and chemical parameters
No data available.

Oxidizing properties
No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity
No data available.

10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼Acute toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2700 mg/kg ·

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2410 mg/kg ·

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Species:	Rat
Route of exposure:	Oral
Result:	>300-2000 mg/kg

Product/substance	Alkylalkohol, ethoxyleret
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg ·

Product/substance	Alkylalkohol, ethoxyleret
Species:	Rat
Route of exposure:	Dermal
Test:	LD50

Result: > 2000 mg/kg ·

Product/substance: 2-propylheptanol Ethoxylate
Species: Rat
Route of exposure: Oral
Test: LD50
Result: >300-2000 mg/kg

Based on available data, the classification criteria are not met.

▼Skin corrosion/irritation
Product/substance: 2-propylheptanol Ethoxylate
Result: No adverse effect observed (Not irritating)

Based on available data, the classification criteria are not met.

▼Serious eye damage/irritation
Product/substance: 2-propylheptanol Ethoxylate
Result: Adverse effect observed (Causes serious eye damage)

Causes serious eye irritation.

Respiratory sensitisation
Based on available data, the classification criteria are not met.

▼Skin sensitisation
Product/substance: Alkylalkohol, ethoxyleret
Test method: OECD 406
Species: Guinea pig
Description: Negativ
Result: No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Carcinogenicity
Based on available data, the classification criteria are not met.

Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
Based on available data, the classification criteria are not met.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects
Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties
This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information
None known.

SECTION 12: Ecological information

12.1. ▼Toxicity
Product/substance: 2-(2-butoxyethoxy)ethanol
Species: Fish
Duration: 96 hours
Test: LC50
Result: 1300 mg/l ·

Product/substance: 2-(2-butoxyethoxy)ethanol
Species: Daphnia
Duration: 24 hours
Test: LD50

Result:	3200 mg/l ·

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Algae
Duration:	96 hours
Test:	LD50
Result:	>100 mg/l ·

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>10-100 mg/L

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>1-10 mg/L

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>1-10 mg/L

Product/substance	Alkylalkohol, ethoxyleret
Species:	Daphnia
Duration:	48 hours
Test:	LD50
Result:	13,4 mg/l ·

Product/substance	Alkylalkohol, ethoxyleret
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1 -10 mg/L

Product/substance	Alkylalkohol, ethoxyleret
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	1-10 mg/L

Product/substance	2-propylheptanol Ethoxylate
Species:	Fish, Oncorhynchus mykiss
Duration:	96 hours
Test:	LC50
Result:	>10-100 mg/L

Product/substance	2-propylheptanol Ethoxylate
Species:	Bacteria, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>10-100 mg/L

Product/substance	2-propylheptanol Ethoxylate
Species:	Algae, Scenedesmus subspicatus
Duration:	72 hours
Result:	>10-100 mg/L

Product/substance	sodium hydroxide caustic soda
Species:	Fish
Duration:	96 hours
Test:	LC50

Result:	35-189 mg/l. ·

Product/substance	sodium hydroxide caustic soda
Species:	Daphnia
Duration:	48 hours
Test:	LD50
Result:	40,4 mg/l ·

Based on available data, the classification criteria are not met.

12.2. ▼Persistence and degradability

Product/substance	2-(2-butoxyethoxy)ethanol
Result:	90-100
Conclusion:	Readily biodegradable
Test:	TG 301 E- Test Modified OECD Screening Test -70%

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Result:	63 %
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	Alkylalkohol, ethoxyleret
Result:	>60
Conclusion:	Readily biodegradable
Test:	OECD 301 D

Product/substance	2-propylheptanol Ethoxylate
Conclusion:	Readily biodegradable
Test:	OECD 301 D

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼Bioaccumulative potential

Product/substance	2-(2-butoxyethoxy)ethanol
LogKow:	0,5600
Conclusion:	No potential for bioaccumulation

Product/substance	2-propylheptanol Ethoxylate
Conclusion:	Bioaccumulation is not expected

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

07 06 99	Wastes not otherwise specified

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	Transport hazard class: -	-	No	See below for additional information.
IMDG	-	-	Transport hazard class: -	-	No	See below for additional information.
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.
ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

REACH, Annex XVII

2-(2-butoxyethoxy)ethanol is subject to REACH restrictions (entry 55).

▼Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%
· Cationic surfactants
· Non-ionic surfactants
· Phosphates

Product registration number

144419

Regulation on work involving coded products

Code number (1993): 00-3.

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

lbj

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: DK-en